

ASSEMBLY INSTRUCTIONS

251979 JOVY FLUSHMOUNT

PROFESSIONAL INSTALLATION REQUIRED

CAUTION: BEFORE INSTALLING FIXTURE, MAKE SURE THE POWER TO THE CIRCUIT IS TURNED OFF AT THE MAIN FUSE BOX / CIRCUIT BREAKER UTILITY BOX.

Important Safety Instructions:

- These instructions are provided for your safety. It is important that they are read carefully before use to ensure safe operation of the product.
- Installation by a licensed professional electrician required.
- THIS PRODUCT MUST BE INSTALLED IN ACCORDANCE WITH THE APPLICABLE INSTALLATION CODES BY A PERSON FAMILIAR WITH THE CONSTRUCTION AND OPERATION OF THE PRODUCT AND THE HAZARDS INVOLVED.
- The lighting fixture is meant for indoor use. It must be connected only to 3-wire, single-phase electrical supply systems (provided with Ground wire or equivalent protection system).
- For your safety, it is strongly recommended that two people install the lighting fixture.
- The lighting fixture is meant for indoor use. DRY LOCATIONS ONLY.

IMPORTANT WIRE SAFETY INSTRUCTIONS:

- The lighting fixture is meant for indoor use. It must be connected only to 3-wire, single-phase electrical supply systems (provided with Ground wire or equivalent protection system). For your safety, it is strongly recommended that two people install the lighting fixture. This fixture has been rated for up to eight (8) - 7-Watt Maximum G9 bulbs (not included). To avoid the risk of fire, do not exceed the recommended wattage.

Note: This lighting Fixture is designed with versatility in mind and can be installed either as a flush mount or a sconce. As a flush mount, it provides a streamlined, low-profile look, ideal for ceiling with limited clearance or where a subtle, clean aesthetic is desired. When mounted as a sconce, it offers a decorative wall lighting solution that can enhance the ambiance of any room. Whether you're aiming for a more traditional ceiling installation or prefer the elegance of wall mounted lighting, this fixture adapts seamlessly to your needs.


These instructions are provided for your convenience. It is very important that they are read carefully and completely before beginning installation of this item.

PARTS LIST:


- A) Stone Diffuser x 5pc**
- B) L-Screws x 5pc**
- C) Metal Frame x 1pc**
- D) Wall Mount Bracket x 2pc**
- E) Side Screws x 4pc**
- F) Anchor & Wall Screws x 4pc**

To Assemble:

1. Turn off electricity, gently pull electrical wires out from wall junction box.




2. Attach Wall Mount Bracket (D) using Anchor & Wall Screw (F).




3. Connect electrical wires (HOT WIRE (BLACK), NEUTRAL WIRE (WHITE), GROUND WIRE (COPPER))

- a) Connect the NEUTRAL WIRE to the NEUTRAL JUNCTION BOX WIRE (usually white). Fasten each together with a wire connector and wrap the connection with electrical tape. Be sure that no wire strands are exposed.
- b) Connect the HOT WIRE to the HOT JUNCTION BOX WIRE (usually black). Fasten each together with a wire connector and wrap the connection with electrical tape. Be sure that no wire strands are exposed. **DO NOT REVERSE THE HOT AND NEUTRAL CONNECTIONS OR SAFETY WILL BE COMPROMISED.**
- c) Connect the GROUND WIRE of the fixture to the GROUND J-BOX WIRE (COPPER). Fasten each together with a wire connector and wrap the connection with electrical tape. Be sure that no wire strands are exposed. If there is no ground wire, use a screwdriver to secure the end of the fixture ground wire.



WIRES
HOT WIRE- BLACK COLOUR
NEUTRAL WIRE – WHITE COLOUR
GROUND WIRE - COPPER

4. Attach Metal Frame (C) to Wall Mount Bracket (D) using Side Screw (E).



5. Insert G9 bulbs (not included)

6. Carefully insert Stone Diffusers (A) into the small metal clips in the metal Frame (C). Twist the L-Screws (B) to hold the stone in place.

